

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

SECTION 1: Identification of the mixture and of the company/undertaking

1.1 Product identifier: MEDICLEAN MC 330 Whitening gel for cleaning sanitary facilities

1.2 Relevant identified uses of the mixture and uses advised against:

Recommended use: Chlorine cleaner and bleaching of toilet bowls, urinals, bidets, sinks, tubs, baskets and bins.

Uses advised against: do not mix with other detergents

1.3 Details of the supplier of the safety data sheet:

Manufacturer: Medi-Sept Sp. z o.o.
Konopnica 159C, 21-030 Motycz
tel. (+81) 503 23 77
www.medisep.pl

E-mail address of the person responsible for safety data sheet: grzegorz.gromadzki@medi-sept.com.pl

E-mail address of the person responsible for translation: aleksandra.majewska@medi-sept.com.pl

1.4 Emergency telephone number: +48 81 535 22 22 in hours: 8.00 – 16.00
International emergency number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance/mixture

Xi; R36/38
N; R50

Risk to human health

Irritating to eyes and skin.

Risk to environment

Very toxic to aquatic organisms.

Physical/chemical

No.

2.2 Label elements:

Hazard symbols and warning signs:



Xi – Irritant



N – product dangerous to the environment

Hazard statements:

R36/38 – Irritating to eyes and skin.

R50 – Very toxic to aquatic organisms

Phrases for conditions for safe use:

S2 – Keep out of the reach of children

S24/25 – Avoid contact with skin/eyes.

S26 – zanieczyszczone oczy przemyć natychmiast dużą ilością wody i zasięgnąć porady lekarza

S46 – If swallowed, seek medical advice immediately and show this container or label.

S61 – unikać zrzutów do środowiska. Postępować zgodnie z instrukcją lub kartą charakterystyki

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

According to regulation. 648/2004

<5% nonionic surfactants

<5% EDTA Na4

Surfactants meet the requirements of biodegradability according to Regulation 648/2004.

Ingredient data sheet available at: www.medisept.pl

2.3 Other hazards:

No additional hazards

No information about substances specified in PBT or vPvB according to 1907/2006/EG annex XIII.







Appropriate studies have not been conducted.

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable

3.2 Mixture:

Hazardous ingredients:

| Product identifier | Content % | Classification acc. to 67/548/EWG | Klasyfikacja CLP | |
|--|-----------|--|--|----------------------|
| | | | Hazard class and category codes | Hazard statements |
| Oxide alkylidimethylamine CAS: 3332-27-2 WE: 222-059-3 Index number: - REACH number: the substance is subject to the transitional period | <7 |  Xi; R38, R41  N:R50 | Skin Irrit.2 Eye Dam.1 Aquatic Acute 1 | H315 H318 H400 |
| Siarczanlaurylo sodium 2 EO ethoxylate CAS: 68891-38-3 WE: - Index number: - Nr REACH: 01-2119488639-16-xxxx | 5 - 6 |  Xi; R38, R41 | Skin Irrit.2 Eye Dam.1 | H315 H318 |
| sodium hypochlorite CAS: 7681-52-9 WE: 231-668-3 Index number: 017-011-00-1 Nr REACH: 01-2119488154-34-XXXX | <3 |  C: R34  N:R50 R31 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 |
| Sodium hydroxide CAS: 1310-73-2 WE: 215-185-5 Index number: 011-002-00-6 REACH number: 01-2119457892-27-XXXX | <0,6 |  C; R35 | Skin Corr. 1A | H314 |

*CAS number claimed by the manufacturer

The full texts of the mentioned R-phrases and hazard statements (H) are listed in chapter 16.

SECTION 4: First Aid Measures

4.1 Description of first aid measures

Skin contact:



MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Wash affected areas with soap and water and rinse well. Immediately take off all contaminated clothing. If skin irritation persists, contact doctor.

Eye contact:

Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing with running water. If symptoms persists, call a doctor.

Inhalation:

In case of dizziness and nausea move to fresh air. If symptoms persists, obtain medical advice.

Ingestion:

Do not induce vomiting, rinse mouth. Immediately contact a doctor.

4.2 Most important symptoms and effects, both acute and delayed:

The respiratory system. Inhalation of concentrated vapors may cause irritation of the mucous membranes of the nose, throat and downstream sections of the respiratory system, cough, shortness of breath, trouble breathing.

The digestive tract: May cause irritation of the mucous membranes of the gastrointestinal tract, abdominal pain, stomach cramps, nausea, vomiting, diarrhea, malaise, headache and dizziness – symptoms of food poisoning.

Eye contact: Cause irritations.

Contact with skin: Cause irritations.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically by a doctor.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Use fire extinguishing methods suitable to surrounding conditions.

Not suitable: No.

5.2 Special hazards arising from substance or mixture:

During a fire, under the action of high temperature release of toxic degradation products containing min. oxides of carbon, nitrogen oxides, chlorine.

5.3 Advice for firefighters:

Cool containers with spray water. If possible remove from the danger zone. As in any fire, wear self-contained breathing apparatus and full protective gear. Prevent fire-fighting water from entering surface water, ground water and sanitation.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: the failure to notify the competent authorities. Remove from the danger zone people not involved in the liquidation of failure.

For emergency personnel: Ensure adequate ventilation. Use personal protective equipment. Do not breath vapors.

6.2 Environmental precautions:

Do not allow to enter sewerage or water bodies. Inform local authorities in case of inability to provide protection.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Contaminated material placed in properly labeled containers according to applicable provisions. .

6.4 Reference to other sections

Product waste – see section 13

Personal protection – see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Use in well-ventilated area. Avoid prolonged or repeated contact with skin. Avoid spilling or splashing. Do not breath vapours. Keep away from sources of ignition, high temperature, hot surfaces and open fire. Work in accordance with safety instructions and hygiene: Do not eat, drink and smoke in work areas, wash hands after use, remove contaminated clothing and protective equipment before entering eating areas. For all specific recommendations given carry out risk assessment at the workplace in order to help determine controls appropriate to local circumstances.

7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool, dry, well-ventilated properly labeled and tightly closed original container. Keep away from heat and direct sunlight, hot surfaces and open fire.

7.3 Specific end uses: Chlorine cleaner and bleaching of toilet bowls, urinals, bidets, sinks, tubs, baskets and bins

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Exposure standards for occupational hazards in accordance with the Regulation of the Minister of Labour and Social Policy on the maximum permissible concentrations and intensities of harmful factors in the work environment dated 29 November 2002 (Journal of Laws No. 217, item 1833 as later amended)

Exposure limits:

| Substance | NDS | NDSCh | NDSP |
|------------------|-------|-------|------|
| | mg/m3 | | |
| Sodium hydroxide | 0,5 | 1 | - |
| Chlorine | 0,7 | 1,5 | - |

8.2 Exposure controls:

Appropriate technical controls: recommended well-ventilated areas.

Indywidul protective means such as gloves, glasses.



Eye and face protection:

Wear framed glasses or face mask (acc. EN 166)

Skin protection:

Hand protection:

Wear protective nitrile, natural rubber or PCV gloves according with EN-PN 374:2005.

Gloves material:

Choice of suitable gloves do not depend only on material but brand and quality. Material resistance can be defined after testing. Exact destruction time must be declared by manufacturer.

Other:

Wear appropriate protective workwear acc. EN 344 – wash regularly.

Air passages protection:

Do not breath vaporous

Thermal hazards:

Not applicable.

Control of environmental exposure:

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Do not allow to spread in the environment and enter drains or watercourses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|-----------------------------|---|
| Physical state | Thick liquid |
| Colour | Straw, Clear |
| Odour | Pleasant, slight chlorine |
| Odour threshold | Not specified |
| pH | 13 |
| Melting point/range | -12 °C to -15 °C |
| Boiling point/range | 97 °C |
| Flash point | Not specified |
| Ignition | Not specified |
| Evaporation rate | Not specified |
| Flammability (solid,gas) | Not specified |
| Lower explosive limit | Not specified |
| Higher explosive limit | Not specified |
| Vapour pressure at 20 °C | Not specified |
| Realtive vapor density | Not specified |
| Density at 20 °C | 1,04 - 1,05 g/cm ³ |
| Solubility in solvents | Completely soluble in water - 1000g/l in 20°C |
| Coefficient n-octanol/water | Not specified |
| Auto-ignition temperature | No |
| Decomposition temeperature | Not specified |
| Viscosity | Not specified |
| Kinematic viscosity at 22°C | 650 mm ² /s |
| Explosive properties | Not specified |
| Oxidizing properties | Not specified |

9.2 Other information:

No additional test results.

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Unknown.

10.2 Chemical stability :

The product is stable under normal conditions.

10.3 Possibility of hazardous reactons:

No

10.4 Conditions to avoid:

Avoid high temperature, direct sunlight, hot surfaces and open fire.

10.5 Incompatible materials :

No

10.6 Hazardous decomposition products:

At high temperatures toxic products of decomposition release – oxides of carbon.

SEKCJA 11: Toxicological information

11.1 Information on toxicological effects:

a) acute toxicity: not recognized

Sodium hydroxide

LD100(rabbit, oral): 500mg/kg

LD50 (rabbit, skin):1350mg/kg

Sodium hypochlorite

LD50 (intraperitoneally, rat): 1100mg/kg calculated as free chlorine

LC50 (inhalation ,rat): 1050mg/kg

b) irritant effect Irritating to eyes and skin.

c) corrosion: not recognized

d) allergic: not recognized

e) repeated dose toxicity: no data

f) carcinogenicity: does not show

g) mutagenicity: not shown

h) reproductive toxicity: does not show

Information on likely routes of exposure:

The respiratory system. Inhalation of concentrated vapors may cause irritation of the mucous membranes of the nose, throat and downstream sections of the respiratory system, cough, shortness of breath, trouble breathing

The digestive tract: May cause irritation of the mucous membranes of the gastrointestinal tract, abdominal pain, stomach cramps, nausea, vomiting, diarrhea, malaise, headache and dizziness – symptoms of food poisoning.

Eye contact: Cause irritation.

Contact with skin: Cause irritation.

Delayed, immediate and chronic effects from short-and long-term exposure:

No data.

Interaction effect:

No data.

SECTION 12: Ecological information

Detailed studies of the environmental effects were not carried out. The mixture is not classified as dangerous for the environment, contains ingredients harmful to the environment.

Do not allow product to reach ground water, drains and watercourses.

12.1 Toxicity:

Sodium hydroxide

Toxicity to fish LC50 125mg/l/96h (Gambusia affinis)

Toxicity to shellfish EC50 100mg/l/48h (Daphnia)

Sodium hypochlorite

Toxicity to fish LC50 1,65-2,87mg/l/ (Rainbow trout)

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Toxicity to fish LC50 0,58mg/l/96h (Lepomis macrochirus)
Toxicity to daphnia EC50 0,1mg/l/96h (Daphnia magna)
Toxicity to invertebrates EC50/LC50 0,141mg/l (freshwater invertebrates);
Toxicity to invertebrates EC50/LC50 0,026mg/l (marine invertebrates)

12.2 Persistence and degradability:

Surfactants meet the requirements of biodegradability according to Regulation 648/2004.

12.3 Bioaccumulative ability:

No data.

12.4 Mobility in soil:

Mobile in the soil, dissolved in water and spread in water environment.

12.5 Test result of PBT and vPvB assessment:

No data.

12.6 Other adverse effects:

No data.

SECTION 13: Disposal considerations**13.1 Waste treatment methods:**

Remainders of product and contaminated empty containers must be disposed in accordance with local and state regulations. The rest place in original containers. Utilize in accordance with valid regulations. Empty containers should be disposed of in accordance with regulations or provide for appropriate landfill.

SECTION 14: Transport information**14.1 UN number :** 3082**14.2. UN proper shipping name:** Hazardous substance, liquid, (sodium hypochlorite)**14.3 Transport hazard class:** 9**14.4 Packing group:** III**14.5 Environmental hazards:** Yes**14.6 Special precautions for user:** No date.**14.7 Transport in bulk according to Annex II MARPOL 73/78 and the IBC Code:** No date.**SECTION 15: Regulatory information****15.1 Laws concerning the safety, health and environment specific for the substance or mixture.**

Detail information available upon request.

15.2 Chemical safety assessment:

No chemical safety assessment. .

SECTION 16: Other information**Text of R and H-Phrases:****R31** – contact with acids liberates toxic gas**R34** – Causes burns**R35** – Causes severe burns**R36/38** – Irritating to eyes and skin.**R38** – Irritating to skin.**R41** – Risk of serious damage to eyes.**R50** – Very toxic to aquatic organisms.**H314** – Causes severe skin burns and eye damage**H315** – Causes skin irritation.

MEDICLEAN MC 330
Whitening gel for cleaning sanitary facilities

Date of issue 11.02.2013

updated: 12.04.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

H318 - Causes serious eye damage.

H400 – Very toxic to aquatic life

Abbreviation, acronyms and symbols description:

C – Corrosive

Xi – Irritant

Skin Corr. 1B – Skin irritating cat.1B

Skin Corr. 1A – Skin irritating cat.1B

Eye Dam.1 – Serious eye damage

Skin Irrit.2 – Skin irritation cat.2

Aquatic Acute 1 – Poisoning a threat to the aquatic environment cat.1

NDS – The highest concentration

NDSP – The highest ceiling

NDSCh – The highest temporary

Training:

Before starting to work with employees health and safety training is mandatory because of the presence of chemicals in the workplace. Perform, document and familiarize employees with the results of the risk assessment in relation to the presence of chemical agents.

MATERIAL SAFETY DATA SHEET – **MEDICLEAN MC 330**

- Issuing date: 11.02.2013
- ANG version 1.0 from 23.10.2013

Sources:

PL version .

The information provided in this Safety Data Sheet concern only in the title mentioned product. The information given is designed as a guidance for safe handling, use, storage, transportation, disposal and it is not to be considered as legal warranty. In any case, you must comply with the laws and the possible rights of third parties. Sheet is not workplace risk assessment. Product cannot be used in other purpose then mentioned in section 1 without previous consultation with **Medi-Sept Sp. z o.o.**

Original Polish Version made by SPIN-DORADZTWO www.spin-doradztwo.pl for **Medi-Sept Sp. z o.o.**

Translation made by Aleksandra Majewska aleksandra.majewska@medi-sept.com.pl